

LED Emergency Lights

V-TAC features a line of premium quality LED emergency lights for clear and bright emergency illumination. Inclusive of evident exit signs, these signs are powered by high performance batteries, rendering a longer lifespan and lower maintenance. V-TAC's emergency lights and signs are a practical and valuable asset to many applications inclusive of offices, hotels, hospitals and residential areas.



Walls/Surface Mount
 2w | 120 Im



Walls/Surface Hanging
 2w | 120 Im



Recessed Hanging
 2w | 120 Im



Recessed Fixed
 2w | 120 Im



Bulkhead
 3w | 140 Im



Bulkhead
 4w | 190 Im



Wall Mounted
 7w | 600 Im

Salient Features

- Thermoplastic PC housing, Rectangular type plastic with different signs
- Single or double face configuration
- ✓ Universal (wall, side or ceiling) mounting
- ⚡ Low energy consumption only 2.0 watts at 120V
- Ⓞ LED indicator light and push button test switch
- LED LEDs mounted on print circuit board
- ⌚ 24 hours recharge after more than 3 Hours discharge
- 🔧 Efficient thermal management technology
- ⚡ Corrosion free mounting clamps
- 🔋 High performance Ni-Cd batteries made for Longevity & low maintenance
- ✓ Reliable Emergency backup of 3 hours

Emergency LED Exit Sign
Walls/Surface Mount

2W VT-519


EAN Code

SKU 8099

3800157623155



BOX QTY.
10



Lamp Type:	16 SMD Leds
Colour:	White - 6000K
Lumens:	160lm(AC)/140lm(DC)
Input Voltage:	AC: 220-240V, 50/60Hz
Protection Rating:	IP20
Material :	100% PC
Exit Lamp Type:	Surface/Ceiling Mounted
Viewing Distance:	22 meters from both side
Emergency Operation Time:	> 3Hours
Battery:	Ni-Cd 4.8V, 600mAh
Recharging Time:	24 hours (initial charge 36 hours)
Test Button:	Green light indicator test button
Stickers:	4 Stickers include
Legends:	4 Ways legends available

Emergency LED Exit Sign
Walls/Surface Hanging

2W VT-520


EAN Code

SKU 8100

3800157623162



BOX QTY.
10



Lamp Type:	16 SMD Leds
Colour:	White - 6000K
Lumens:	160lm(AC)/140lm(DC)
Input Voltage:	AC: 220-240V, 50/60Hz
Protection Rating:	IP20
Viewing Distance:	22 meters from both side
Exit Lamp Type:	Surface/Ceiling Mounted
Emergency Operation Time:	> 3Hours
Battery:	Ni-CD 3.6V,600mAh
Recharging Time:	24 hours (initial charge 36 hours)
Test Button:	Green light indicator test button
Legends:	4 Ways legends available
Material:	100% PC
Stickers:	4 Stickers include

**Emergency LED Exit Sign
Recessed Hanging**


2W VT-521

SKU 8200

EAN Code

3800157623179

BOX QTY.
10



Lamp Type:	16 SMD Leds
Colour:	White - 6000K
Lumens:	160lm(AC)/140lm(DC)
Input Voltage:	AC: 220-240V, 50/60Hz
Protection Rating:	IP20
Viewing Distance:	22 meters from both side
Emergency Operation Time:	> 3Hours
Battery:	Ni-CD 3.6V,600mAh
Recharging Time:	24 hours (initial charge 36 hours)
Test Button:	Green light indicator test button
Legends:	4 Way legends available
Material:	100% PC

**Emergency LED Exit Sign
Recessed Fixed**


2W VT-522

SKU 8201


EAN Code

3800157623186

BOX QTY.
10



Lamp Type:	16 SMD Leds
Colour:	White - 6000K
Lumens:	160lm(AC)/140lm(DC)
Input Voltage:	AC: 220-240V, 50/60Hz
Protection Rating:	IP20
Viewing Distance:	22 meters from both side
Emergency Operation Time:	> 3Hours
Battery:	Ni-CD 4.8V,600mAh
Recharging Time:	24 hours (initial charge 36 hours)
Test Button:	Green light indicator test button
Legends:	4 Way legends available
Material:	100% PC



LED Emergency Downlight

3W VT-503

EAN Code


BOX QTY.

8274 - 6400K White

3800156727269

20

Material:	Poly Carbonate & Aluminum	Charging Current:	90ma
Mounded:	Ceiling Recessed	Convert Voltage:	155v : AC
Life Time Of Battery:	2 Years	Discharging Current:	300ma
Light Output (Emergency):	140lm	Discharge Duration:	3 Hours
Lamp Protection:	Over Charge And Discharge Protection	Spec Of Battery:	3.6v 1800mah Ni-cd Battery
Led Indicator:	Green Indicator	Packing:	38.5 X 22 X 25cm
Charging Current:	90ma	IP Rating:	IP20



Reflector With Base

Recessed Box

LED Emergency Light

3.8W VT-511

EAN Code

BOX QTY.

8249 - 6400K White

3800157626491

10

Watts:	3.8W	Charging Current:	200mA
Lumens:	85lm	Discharging Current:	280mA
Input:	AC:220-240V, 50-60Hz	Battery:	4V2.0AH Lead Acid battery
IP Rating:	IP20	Material:	ABS+PC
Lamp Type:	SMD 2835 20PCS	Dimension:	292 x 79 x 102mm
Exit Lamp Type:	Bulkhead		With recessed-292 x 93.7 x 102mm
Operation Time:	>3 Hours	Legends:	4 Ways legends available

LED Emergency Light Bulkhead


3W VT-523

EAN Code

SKU 8096

3800157623124

BOX QTY.
12



Lamp Type:	16 SMD Leds
Colour:	White - 6000K
Lumens :	140lm
Input Voltage:	AC: 220-240V, 50/60Hz
Protection Rating:	IP65
Exit Lamp Type:	Wall - Bulkhead
Viewing Distance:	22 meters from one side
Emergency Operation Time:	> 3Hours
Battery:	Ni-Cd 3.6V, 1500mAh
Recharging Time:	24 hours (initial charge 36 hours)
Test Button:	Green light indicator test button
Legends:	4 Ways legends available
Material:	100% PC

LED Emergency Light Bulkhead


4W VT-524

EAN Code

SKU 8097

3800157623131

BOX QTY.
12



Lamp Type:	30 SMD Leds
Colour:	White - 6000K
Lumens:	190lm
Input Voltage:	AC: 220-240V, 50/60Hz
Protection Rating:	IP65
Exit Lamp Type:	Wall - Bulkhead
Viewing Distance:	22 meters from one side
Emergency Operation Time:	> 3Hours
Battery:	Ni-Cd 4.8V, 900mAh
Recharging Time:	24 hours (initial charge 36 hours)
Test Button:	Green light indicator test button
Legends:	4 Ways legends available
Material:	100% PC



Emergency Twin Spot Light
Wall Mounted

7W VT-526

EAN Code

BOX QTY.

SKU 8098

3800157623148

05

Lamp Type:	2 x 15 SMD Leds
Colour:	White - 6000K
Lumens:	600lm
Input Voltage:	AC: 220-240V, 50/60Hz
Protection Rating:	IP65
Exit Lamp Type:	Wall mounted
Emergency Operation Time:	> 3Hours
Battery:	Ni-Cd 9.6V, 2200mAh
Recharging Time:	24 hours (initial charge 36 hours)
Indicator:	Green light indicator
Material :	100% PC

IP65
RATED

